




Double Pipe Portal Systems

Technical Product Information

New construction flashings with roof curb mountings




Double Pipe Portal® System

A versatile, leak proof and weathertight solution to routing pipes through the roof. The Double Pipe Portal System is designed to allow for both vertical and horizontal pipe movement, yet provide maintenance free permanent installation, which accommodates pipe sizes of .375" up to 6". The curb cover is molded from ABS plastic (Acrylonitrile Butadiene Styrene) with a laminated acrylic coating, which gives high resistance to both ozone and ultraviolet sun rays, as well as serviceable temperature range of -40F to + 160F. The molded sealing rings on the collared openings of the cover mated with the grooves in the rubber caps assure a "Weather tite Pressure Seal" and mechanical lock.

The protective rubber caps are compression molded of EPDM (Ethylene Propylene Diene Monomer) rubber with a serviceable temperature range of -60F to + 270F, and also have high resistance to both ozone and ultraviolet sun rays. The conically shaped steps of the cap provide a taut waterproof seal around the pipe and the Stainless Steel Snaplock Swivel Action clamps provided give the added protection to guarantee the pipe seal. The swivel action of the clamp cuts installation time by 75%.

The Double Pipe Portal is ideally used to bring the line sets to condensing units, ice-makers, and chillers etc. Also ideal for mounting roof top satellite dishes.

Available adapters to fit
most Pipe Portal Pipe Flashings
(See adapter ring chart section for proper sizing)



Round Adapters

.5" to 3.5" (.25" Increments)



Angle Iron

1", 1.75", 3", 4"



Square Tube

3" and 4"

SELECT A CAP FOR EACH BASE REQUIRED



C-126
1- 2" TO 6" PIPE



C-412
4- 1" TO 2" PIPES



C-481
4- .375" TO 1" PIPES



C-212
2- .375" TO 1" PIPES
2- 1" TO 2" PIPES

NEW UPC PART NUMBER	DESCRIPTION	QTY/CNT	LIST PRICE PER UNIT
36002	DOUBLE COVER & CAPS w/126 & 212 BLACK CAP	2	
36012	DOUBLE COVER & CAPS w/126 & 412 BLACK CAP		
36022	DOUBLE COVER & CAPS w/126 & 481 BLACK CAP		
36032	DOUBLE COVER & CAPS w/126 & 126 BLACK CAP		

Call Customer Service For Price

Call Customer Service For Price

36042	DOUBLE COVER & CAPS w/212 & 212 BLACK CAP		
36052	DOUBLE COVER & CAPS w/212 & 412 BLACK CAP		
36062	DOUBLE COVER & CAPS w/212 & 481 BLACK CAP		
36092	DOUBLE COVER & CAPS w/412 & 412 BLACK CAP		
36102	DOUBLE COVER & CAPS w/412 & 481 BLACK CAP		
36142	DOUBLE COVER & CAPS w/481 & 481 BLACK CAP		
32161	DOUBLE RC-2A STRAIGHT SIDED CURB -11" High	1	
32171	DOUBLE RC-3A CANTED CURB - 8" High		
32181	DOUBLE RC-4A RAISED CANTED CURB -9 1/2" High		

[Adapter Rings](#) can modify these penetrations
[Snaplock Clamps](#).
[Installation Instructions](#).
[CAD Page](#)

Other Flashing Systems: [Alumi-Flash](#)
[Plasti-Flash](#)
[Pipe Flashings \(boots\)](#)

PORTALS PLUS 815 Kimberly Drive, Carol Stream, IL 60188

TEL: (800) 624-8642 FAX: (866) 466-9335

All information is subject to change without notice. Dimensions and specifications shown are within manufacturing tolerances.
© Copyright Commercial Products Group of Hart & Cooley, Inc., January, 2009. All Rights Reserved.